





A Furukawa Company

ErYb 7/125 Polarization-Maintaining Optical Fiber

P/N: 300 380 334



ErYb 7/125 PM

Features and Benefits

- Core recipe optimized for high optical efficiency and shortest device lengths
- Pump wavelength 910 - 980 nm
- Low-splice-loss achieved to conventional single-mode fiber and most commercially available passive double-clad fibers
- High conversion efficiency
- Robust against 1 μm parasitics

Overview

The single-mode core of this polarization-maintaining fiber is co-doped with both erbium and ytterbium. It is then surrounded by a silica cladding and covered with a low-index protective coating. The resulting double-clad fiber is used for single-mode fiber lasers and amplifiers operating in the 1540 to 1565 nm range.

The fiber enables fiber lasers and amplifiers with good beam profile characteristics, high wall plug efficiencies, compact footprints, superior reliability, and maintenance-free operation. It also accommodates high energies during pulsed operation and at high repetition rates.

Typical Applications

- Construction of multi-watt amplifiers around 1550 nm
- LIDAR, CATV, FTTx, FSOC



A Furukawa Company

ErYb 7/125 Polarization-Maintaining Optical Fiber

P/N: 300 380 334

Product Specifications	
Product Description	ErYb 7/125 PM Optical Fiber
Physical Characteristics	
Core numerical aperture	0.17
Cladding numerical aperture	0.45
Cutoff wavelength	< 1500 nm
Mode field diameter @ 1550 nm	7 μm
Ytterbium clad absorption @ 915 nm	> 0.5 dB/m
Erbium peak absorption near 1535 nm	40 dB/m
Beat length @ 1060 nm	< 4.0 mm
Beat length @ 1550 nm	< 6.0 mm
Circular cladding diameter	125 μm
Coating outer diameter	250 μm
Mechanical and Environmental	
Proof Test Level	100 kpsi (0.69 GPa)
Order by Part Number	300 380 334



For additional information please contact your sales representative.

You can also visit our website at www.ofsoptics.com or call 1-888-fiberhelp (1-888-342-3743) USA or 1-770-798-5555 outside the USA.



A Furukawa Company

Copyright © 2022 OFS Fitel, LLC.
All rights reserved, printed in USA.

OFS Marketing Communications
Date: 08/22 Revision #3

For a full list of our certifications, visit our website.



OFS reserves the right to make changes to the prices and product(s) described in this document at any time without notice. This document is for informational purposes only and is not intended to modify or supplement any OFS warranties or specifications relating to any of its products or services.