



A Furukawa Company

V-Pin Crimp & Cleave 400 μm Termination Kit

P/N: DT03732-34



Overview

The OFS V-System[®] family of HCS[®] 200 and 400 μm fibers, cables, and components are a complete product line, compatible with crimp & cleave termination system using V-Pin connectors.

Crimp & Cleave termination from OFS is known for its strength, durability, and ease of use.

Product Specifications	
Product Description	V-Pin Crimp & Cleave 400 μ m Termination Kit
Compatibility	
For Use with Connector Types	BP05226-01, V-Pin Connectors (Blue) for 400/430 μ m HCS® BP05226-02, V-Pin Connectors (Black) for 400/430 μ m HCS
Compatible Insertion Loss Test Kit	P10188-02, V-Pin Insertion Loss Test Kit P10188-09, Multi-Set (3-Types: V-Pin, ST, SMA Insertion Loss Test Kit)
Connectors	
Connector Type	V-Pin
Fiber Size	400 μ m
Fiber Type	Standard
V-System® Duplex Latch Set	BP04703
V-Pin Mating Adapter	AP04707
Connector Performance Data	
Operating Temperature	-40 to +80 °C
Crimp Retention	10 lb. (4.5 g)
Overall Connector Dimension	1.18 in. (30 mm)
Insertion Loss	2 dB
Kit Parts (Also Sold Separately)	
Diamond Cleave Tool	DT03732-04 (Black Spring)
Fiber Stripper	CP01229-04 (Royal Blue Insert)
Cable Stripper	AP01224
Crimp Tool	BT03865-02 (Yellow Handles)
Scissors (Will Cut Through Aramid Yarn)	AP01225
Accessories	
Cleave Tool Cleaning Kit	P16247
General Properties	
Case Dimensions (H x W x D)	2.75 x 13.5 x 8.25 in.
Order by Part Number	DT03732-34

For additional information please contact your sales representative.

You can also visit our website at www.ofsoptics.com or call 1-888-fiberhelp (1-888-342-3743) USA or 1-770-798-5555 outside the USA.



Copyright © 2020 OFS Fitel, LLC.
All rights reserved, printed in USA.

OFS Marketing Communications
Date: 01/20

HCS and GiHCS are registered trademarks of OFS Fitel, LLC. OFS reserves the right to make changes to the prices and product(s) described in this document at any time without notice. This document is for informational purposes only and is not intended to modify or supplement any OFS warranties or specifications relating to any of its products or services.