

Inline Connection Point



Inline Connection Point

Features and Benefits

- Small, discreet design
- Snap-on cover for easy assembly
- Can be installed on any vertical plane surface
- Symmetrical covers for either side to be used
- Wall mounted by screw or double-sided tape
- Compatible with:
 - 3 mm Rounded Drop Cable
 - 600 or 900 μm InvisiLight Optical Fiber

Product Description

The OFS Inline Connection Point is used as a termination point in FTTx applications in indoor environments. It has the ability to perform termination of compact optical cables through field connectorization. This versatile retention system enables compatibility with drop cables.

Inline Connection Point Specifications

Installation Environment	Indoor
Operation Environment	Indoor
Operation Temperature	-25 °C to 75 °C
Cable Flammability Rating	UL-94-V0
Dimensions (WxHxD)	25 mm x 19 mm x 95 mm
Cable Type	3 mm Round Drop Cable 600 or 900 µm InvisiLight Optical Fiber
Maximum Cable Input Diameter	3 mm
Connector Type	SC/APC with Adapter
Fiber Type	Single-mode
Mechanical Characteristics	Axial Load for 100 N
Protection Rating	IP30
Product Material	PC/ABS, High Impact Thermoplastic, UL94V-0
Impact Protection	IK01
Color	White
Adapters Quantity	1 SC/APC Adapter
Number of Positions	A single adapter and connector docking position
Test Method	<ul style="list-style-type: none"> • Ingress Protection: IEC 60529 • Axial Load: IEC 61300-2-4/NBR 15512 • Change of Temperature: IEC 61300-2-22
Included Accessories	<ul style="list-style-type: none"> • 1 Simplex SC/APC adapter included • 1 manual

Inline Connection Point Ordering Information

Comcode	Part Number	Product Description
301171427	SLIMBOX-H, INDOOR, INLINE, CONNECT.9-3MMSCA	Inline Connection Point, Indoor, SC/APC Adapter



MDU!Click is a part of the Furukawa Broadband System.

For additional information please contact your sales representative.

You can also visit our website at www.ofsoptics.com or call 1-888-fiberhelp (1-888-342-3743) USA or 1-770-798-5555 outside the USA.



Copyright © 2022 OFS Fitel, LLC.
All rights reserved, printed in USA.

OFS Marketing Communications
DOC ID: fap-323 Date: 10/22

MDU!Click is a registered trademark of Furukawa Electric LatAm. SlimBox and EZ-Bend are registered trademarks of OFS FITEL, LLC.

For a full list of our certifications, visit our website.



OFS reserves the right to make changes to the prices and product(s) described in this document at any time without notice. This document is for informational purposes only and is not intended to modify or supplement any OFS warranties or specifications relating to any of its products or services.