



A Furukawa Company

## Indoor/Outdoor Compact POE Module for InvisiLight® Breezeway MDU Solution



External view of Indoor/Outdoor  
Compact POE Module



Internal view of Indoor/Outdoor  
Compact POE Module

### Features

- Allows termination of the InvisiLight Multifiber unit through direct connectorization or splicing (fusion or mechanical) to optical extensions (pigtailed) of two optical fibers
- Accommodates one internal optical adapter (SC footprint)
- An access point in each side allows cable access from the top of the module
- InvisiLight Breezeway or jumper output occurs from the base of the module through two access points
- The multi-position adapter support allows the adapter to be housed in three different positions

### Benefits

- Compact dimensions
- Discreet appearance
- UV-resistant material
- Easy to secure on the wall with two screws
- Internal fiber guides for easy installation
- Can be installed on any vertical plane surface
- Plastic body offers high mechanical resistance and an efficient design
- Accommodates splice protectors (40 mm)

---

### Product Description

The Indoor/Outdoor Compact Point-of-Entry (POE) Module serves as the transition point between the building and the customer living unit. Following an installation survey, the installer mounts this module on the exterior wall of each living unit, in the breezeway, where the POE is protected from direct exposure to the elements. A fusion-spliced pigtail or mechanical connector connects the InvisiLight Multifiber Unit to the plug-and-play InvisiLight Indoor Living Unit (ILU) Solution. The Indoor/Outdoor Compact POE Module is part of the InvisiLight Multiple Dwelling Unit (MDU) Solution.



A Furukawa Company

## Indoor/Outdoor Compact POE Module

### Indoor/Outdoor Compact POE Module Specifications

#### Product Characteristics

<b>Capacity</b>	2 splices 1 adapter
<b>Accessories</b>	Screws and anchors
<b>Application</b>	Internal Use and Breezeway

#### Physical Characteristics

<b>Dimensions (H x W x D)</b>	1.6 in. x 6.0 in. x 0.63 in. (40.64 mm x 152.40 mm x 15.88 mm)
<b>Material</b>	Polypropylene (PP), UL94V-0
<b>Color</b>	Gray
<b>Standards</b>	RoHS

### Indoor/Outdoor Compact POE Module Ordering Information

Part Number	Comcode	Description
NVSLGHTHO-CMODULE-GRAY-W/ SCA ADAPTER	301145751	Compact Point-of-Entry (POE) Module, Indoor/outdoor, gray, SCA
NVSLGHTHO-CMODULE-GRAY-W/ LCA ADAPTER	301152880	Compact Point-of-Entry (POE) Module, Indoor/outdoor, gray, LCA

**For additional information please contact your sales representative.**

You can also visit our website at [www.ofsoptics.com](http://www.ofsoptics.com) or call 1-888-fiberhelp (1-888-342-3743) USA or 1-770-798-5555 outside the USA.



Copyright © 2022 OFS Fitel, LLC.  
All rights reserved, printed in USA.

OFS Marketing Communications  
DOC ID: fap-321 Date: 09/22

For a full list of our certifications, visit our website.



InvisiLight is a registered trademark of OFS Fitel, LLC.

OFS reserves the right to make changes to the prices and product(s) described in this document at any time without notice. This document is for informational purposes only and is not intended to modify or supplement any OFS warranties or specifications relating to any of its products or services.